Replies to Pre -Bid Queries with regards to Tender No : 117/DIS/PR/2018/TAC-XVII Dt. 09-05-2018

S.No	Queries	Answer
1.	As detailed below specifications of Camcorder (under Para 1 of tender specs) andStudio HD/SD Recorder Player (under Para 6) are proprietary to one company that is M/s SONY. Hence can only be quoted by M/s SONY supported vendors. We are made to understand that the procurement under this tender will not be made as a system. All the equipment/system mentioned in this tender will be evaluated as an individual item on its technical and Commercial merit. Please clarify	The consortium for educational communication has adopted the XD-CAM format in the year 2004 as approved by the government board. The HD/SD Recorder Player is required to fit into the present work flow of CEC and Media Centers The recording media is 23/50 GB Optical Disk. This is being used since adoption of XD-CAM Format for which the HD/SD Recorder Player is the requirement of present work flow. Rest of the equipment will be evaluated as an individual item on its technical & commercial merit.
2.	VGA to PAL Converter: The specifications only match with M/s Analog way product known as Broad Scan HD (Model No. BHD 930) which as per the information available on their website has been discontinued (screenshot of the website attached). Similar broadcast quality products are available from reputed manufacturer like ATMOS, Matrox. We request you to please consider the suggested brand's products to convert VGA to PAL/SDI with Scaler. Datasheet of both the products is attachedwith the letter.	VGA to PAL Convertor Equipment with the latest HD Broadcast Standards can be quoted
3	Transmitter and Receiver Unit (Backpack) for Live Transmission essential features of system. It is mentioned requirement of internal battery in backpack transmitter for uninterrupted continuous operation. We want to bring to your notice that only one manufacturer has this feature in their backpack, internal Battery dissipates heat on continuous used and block the equipment for charging. However, many other Reputed manufactures with there modem backpacks do not have internal batteries. Also, the continuous uninterrupted operation can be achieved by using two batteriesSimultaneously. Therefore, we request you to change the specs by defining size of the battery in amp.hours as detailed below:- 2 Battery of 190 Watt Hour or more with auto switching to provide uninterrupted continuous working of the back pack.	Backpack System with two batteries in redundant mode is acceptable

4.	Studio Lighting Equipment: Given Specs is for Studio light dimmer control: we assume that the Dimmer in Osmania University already have the studio lights and only dimmer control is required. Please clarify.	You need to quote the Dimmer Control with necessary accessories.
	Non- Linear Editing system (FCP Latest version)	Description of FCP to be quoted
	1) Display 227 inch SD/HD- SDI video broadcast monitor we understand that 27 inch Monitor will be used as NLE Monitor with the Macpro machine. Please specify the size of Broadcast monitor mentioned with thedisplay. 2') Video Editing Software Specification There are number of applications asked in this specs: please clarify whether all theapplications will be installed in same Machine'	Apple Final Cut Pro 1 FCP X (or latest)
		Apple Motion Software – 1
		Apple Compressor Software - Compressor
		Apple Keyboard with
		Numeric Keypad Apple Mouse 1
		Apple Care Protection
5.		Plan for Mac Pro Ultra Studio Express 1
3.		Apple Thunderholt Cable
	3) It is mentioned in the heading FCP Latest	(2.0 m, Black)
	Version - where as all the specified software	G-Drive Thunderbolt USB 3.0 4TB Silver
	are a part Adobe Creative cloud team	CPU- Mac Pro- 6 Core
	Package. Please clarify on the same.	Xeon E5
		3.5GHZ/16GB/256 1 GB/Dual Fire Pro D 500
		3GB each
		Dell 27" LED Monitors 2
		Mini Display Port to
		HDMI Adapter
		SD / HD - SDI Video Broadcast Monitor 17"
	Pedestal for Studio Camera,	Tripods with better payload capacity
6.	Tripod for HD ENG Camcorder,	than the mentioned can also be
	Tripod for Low Cost ENG Camcorder	quoted
	This is reference to the Ten. No 117/DIS/PR/2018/TAC-XVII dated	With reference to the your query, suppliers can quote as follows
	9/5/2018.We want clarification on the item	Suppliers can quote as ionows
	number 9 of Part-A pertained to Technical	1. Inputs of 8 HD/SD-SDI or
7.	specifications. In the 8 input Video Switcher	2. 4 HD/SD-SDI and 4 HDMI /
	mentioned, can we quote a switcher with the 8 Inputs which will have 4 SDI Inputs	DVI /Composite combination
	and 4 HDMI inputs with 4 Outputs and	is also acceptable for our application
	Multi viewer built in?	аррисацоп
	I	<u> </u>

8.	This is reference to the Ten. No 117/DIS/PR/2018/TAC-XVII dated 9/5/2018. We want clarification on the item number 7 of Part-A pertained to Technical specifications. Number of channels of the Audio Mixer is not mentioned. Please let us know how many channels of Audio Mixer is required and Request you to please define how many inputs are required for audio mixes. It has been missed	The Audio Mixer should have 8 Channels Input
9.	This is reference to the Ten. No 117/DIS/PR/2018/TAC-XVII dated 9/5/2018.We want clarification on the item number 10 of Part-A pertained to Technical specifications. Should we quote HD 17" or 22" professional display along with 8 Channel Multi viewer	The suppliers can quote HD 17" Professional Monitors along with the 8 channel Multiviewer.
10.	We would like to inform you that we are registered with NSIC (NSIC/GP/NOI/2017/57595) and MSME (UAN – UP28B0005085) and are exempted from paying EMD. Companies registered under NSIC and MSME are getting EMD Exemption for bidding in government tenders like IGNOU, Doordarshan, IIT's and many more government department. However, for this tender clause of EMD exemption is not there we therefore request you to kindly consider this and issue the corrigendum in this respect.	Osmania University being an autonomous body, we don't exempt the bidders from submission of EMD, which may compel us to reject the bids under Non-Compliance of tender norms.

NOTE:

Integration of the equipment should be taken care by the major part of the equipment supplier.